



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,575	11/28/2003	Martin Broberg	TPP 31708	4961

74217 7590 01/24/2008
STEVENS, DAVIS, MILLER & MOSHER, L.L.P.
1615 L STREET, N.W.
SUITE 850
WASHINGTON, DC 20036

EXAMINER

GOFF II, JOHN L

ART UNIT	PAPER NUMBER
----------	--------------

1791

MAIL DATE	DELIVERY MODE
-----------	---------------

01/24/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/722,575

Applicant(s)

BROBERG ET AL.

Examiner

John L. Goff

Art Unit

1791

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 November 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4,10-12,14-17,24-55 and 59-63 is/are pending in the application.
- 4a) Of the above claim(s) 61 and 62 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,4,10-12,14-17,24-55,59,60 and 63 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. This action is in response to the amendment filed on 11/13/07.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Terminal Disclaimer

3. The terminal disclaimer filed on 11/13/07 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent 6,893,713 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Election/Restrictions

4. Newly submitted claims 61 and 62 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons:

Species I is directed to a balance layer constituted of a thermoplastic elastomer (See page 2, fourth paragraph).

Species II is directed to a balance layer constituted by a non-woven fibre arranged on a polyolefin foil (See page 3, second paragraph).

Species III is directed to a balance layer constituted of recycled and processed packaging material containing cellulose, polyethylene, and possibly aluminum (See page 3, third paragraph).

Since applicant has received an action on the merits for the originally presented invention (Species I as elected in the response submitted 7/6/06), this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 61 and 62 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

Claim Rejections - 35 USC § 103

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al. (WO 02/47906) in view of any one of Mason (U.S. Patent 1,995,264), Berry et al. (U.S. Patent 4,406,455), or Karam (U.S. Patent 6,485,823) and Moebus (WO 01/21366 and see also English equivalent U.S. Patent 6,761,961).

Sjoberg et al. disclose a method of manufacturing a decorative laminate used for floor coverings comprising providing a carrying core layer, e.g. fiber board, providing a dampening (e.g. acoustic dampening) foil layer of a thermoplastic polyolefin elastomer on the upper side of the core layer, providing an uppermost decorative and abrasion resistant thermosetting laminate

layer on the foil layer, and then pressing to form the decorative laminate (Page 1, lines 17-26 and Page 2, lines 12-14). Sjoberg et al. are silent as to the lower side of the core layer consisting of a balance layer. Mason discloses a method of manufacturing a decorative laminate used for floor coverings comprising adhering a core layer to an upper layer and an identical/symmetrical lower layer wherein the upper layer includes a decorative and abrasion resistant layer and the lower layer is added to balance the upper layer and prevent the decorative laminate from warping while also providing the capability of reversing the decorative laminate in the event the upper layer is damaged or it is desired to expose the decorative pattern provided on the lower layer (Figures 1-3 and Page 1, lines 1-6, 29-32, and 38-48 and Page 2, lines 40-46 and 14-28). Berry et al. disclose a method of manufacturing a decorative laminate used for floor coverings comprising adhering a core layer to upper layers and identical/symmetrical lower layers wherein the upper layers include decorative and abrasion resistant layers and the lower layers are added to balance the upper layers and prevent the decorative laminate from warping (Figure 3 and Column 4, lines 51-68 and Column 5, lines 1-2). Karam discloses a method of manufacturing a decorative laminate used for floor coverings comprising adhering a core layer to upper layers and identical/symmetrical lower layers wherein the upper layers include decorative and abrasion resistant layers and the lower layers act to balance the upper layers (Figure 1 and Column 4, lines 61-64 and Column 5, lines 32-35). It would have been obvious to one of ordinary skill in the art at the time the invention was made to join on the lower side of the core layer taught by Sjoberg et al. a balance layer that is identical/symmetrical with the layers on the upper side of the core layer, i.e. a balance layer comprising the dampening foil layer of thermoplastic elastomer considered a layer of polymer consisting of a thermoplastic elastomer and the additional

decorative and abrasion resistant thermosetting laminate layer, as shown by any one of Mason, Berry et al., or Karam to prevent the decorative laminate from warping and provide the capability of reversing the decorative laminate in the event the upper layers of the decorative laminate are damaged or it is desired to expose the decorative pattern provided on the lower layers.

Regarding claim 1, Sjoberg et al. do not specifically teach the decorative laminate is cut into panels and provided with edges intended for joining, it being noted Sjoberg et al. teach the decorative laminate is used for floor coverings (Page 1, lines 6-8). Moebus discloses a method of manufacturing a decorative laminate used for floor coverings comprising providing a carrying core layer, providing an upper decorative and abrasion resistant laminate layer on the upper side of the core layer, pressing to form the decorative laminate, and then cutting the decorative laminate into panels and milling edges on the cut panels intended for joining together as a floor covering (Column 1, lines 15-47 of U.S. Patent 6,761,961). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include in Sjoberg et al. as modified by any one of Mason, Berry et al., or Karam the well known finishing steps for forming decorative laminates into floor coverings of cutting the decorative laminate into panels and milling edges on the cut panels intended for joining as shown for example by Moebus wherein only the expected results would be achieved.

Regarding claims 2, 10-12, 37, 38, 46, 47, 50, 54, and 55, Sjoberg et al. further teach the decorative and abrasion resistant laminate is formed by providing one or more underlay papers impregnated with phenol-formaldehyde resin, providing on the underlay papers one or more décor papers impregnated with melamine-formaldehyde resin, providing on the décor papers one

or more overlay sheets impregnated with melamine-formaldehyde resin and hard particles such as silicon oxide, aluminum oxide, silicon carbide, etc. having an average size of 5 - 60 μm , and laminating the papers together under increased heat and pressure to form the upper decorative and abrasion resistant laminate having a thickness of 0.3 - 0.9 mm and a density of 1250 - 1500 kg/m^3 (Page 1, lines 27-28 and Page 2, lines 1-11).

Regarding claims 39-42 and 51-53, Sjoberg et al. teach the dampening foil is a thermoplastic elastomer having an elasticity compression coefficient of 0.8 - 2.0 Mpa, a thickness of 0.1 - 0.5 mm, and a density of 180 - 330 kg/m^3 (Page 2, lines 15-22).

Regarding claims 17, 30-32, and 43-45, Sjoberg et al. teach the upper decorative and abrasion resistant laminate, dampening foil, and carrying core layer are joined by means of melt-glue, heat, and pressure wherein Sjoberg et al. as modified by any one of Mason, Berry et al., or Karam is considered to join the balance layer to the core layer by the same (Page 2, lines 23-27).

Regarding claims 14-16, 48, and 49, as noted above Sjoberg et al. teach the dampening foil is a thermoplastic elastomer having an elasticity compression coefficient of 0.8 - 2.0 Mpa, a thickness of 0.1 - 0.5 mm, and a density of 180 - 330 kg/m^3 , and Sjoberg et al. teach the decorative and abrasion resistant laminate has a thickness of 0.3 - 0.9 mm and a density of 1250 - 1500 kg/m^3 . Absent any unexpected results, it would have been obvious to one of ordinary skill in the art at the time the invention was made to experimentally determine the thickness, density, and elasticity compression coefficient of the balance layer as a whole as taught by Sjoberg et al. as modified by any one of Mason, Berry et al., or Karam within the ranges of the individual components disclosed by Sjoberg et al. for the dampening foil and decorative and abrasion resistant laminate as a function of providing a balance layer that prevents the decorative laminate

from warping as doing so would have required nothing more than ordinary skill and routine experimentation.

7. Claims 24-26, 29, and 33-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al., any one of Mason, Berry et al., or Karam, and Moebus as applied to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 above, and further in view of Leukel et al. (U.S. Patent 4,770,916).

Sjoberg et al., any one of Mason, Berry et al., or Karam, and Moebus as applied above teach all of the limitations in claims 24-26, 29, and 33-36 except for a teaching of including a conductive material such as carbon black or carbon fiber in the glue and elastomer layers. Leukel et al. disclose a floor covering including rubber and glue layers wherein the layers include a conductive material such as carbon black or carbon fiber (conductivity greater than 500 k Ω cm) to impart static dissipating properties to the floor covering (Column 3, lines 5-9 and 36-49 and Column 4, lines 59-60). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include in the glue and elastomer layers of Sjoberg et al. as modified by any one of Mason, Berry et al., or Karam, and Moebus a conductive material such as carbon black or carbon fiber to impart static dissipating properties to the decorative laminate floor covering as shown by Leukel et al.

8. Claims 24 and 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al., any one of Mason, Berry et al., or Karam, and Moebus as applied to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 above, and further in view of Nowell et al. (U.S. Patent 4,885,659).

Sjoberg et al., any one of Mason, Berry et al., or Karam, and Moebus as applied above teach all of the limitations in claims 24 and 27-29 except for a teaching of including a conductive material such as a vacuum metallized aluminum layer in the thermoplastic layer of the balance layer. Nowell et al. disclose a floor covering including a thermoplastic layer wherein the thermoplastic layer includes a conductive material such as a vacuum metallized aluminum layer (conductivity greater than 500 kΩcm) to impart static dissipating properties to the floor covering (Column 2, lines 3-18 and Column 4, lines 18-27). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include in the thermoplastic layers of Sjoberg et al. as modified by any one of Mason, Berry et al., or Karam, and Moebus a conductive material such as a vacuum metallized aluminum layer to impart static dissipating properties to the decorative laminate floor covering as shown by Nowell et al.

9. Claims 1, 2, 4, 10-12, 14-17, 29-32, 37-55, 59, 60, and 63 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al. in view of Min (U.S. Patent 6,093,473), Uebayashi et al. (U.S. Patent 2001/0011114), and Moebus.

Sjoberg et al. is described above in full detail. Sjoberg et al. are silent as to the lower side of the core layer consisting of a balance layer. It was known to provide in a decorative laminate as the lowest layer a balance layer of soft polyvinyl chloride (PVC) to prevent warping of the laminate and provide improved cushioning as shown by Min (Column 8, lines 32-42). It would

have been obvious to one of ordinary skill in the art at the time the invention was made to include on the lower side of the core layer taught by Sjoberg et al. a balance layer as shown by Min to prevent warping of the laminate and provide improved cushioning. It is unclear if the soft PVC balance layer taught by Sjoberg et al. as modified by Min is an elastomer. It was known in the art that soft PVC sheets are being replaced by thermoplastic elastomer polyolefin sheets as the thermoplastic elastomer polyolefin sheets do not require plasticizer for softening, are lighter, and can be recycled as evidenced by the background of Uebayashi et al. (Paragraphs 0002 and 0003). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use in place of the soft PVC sheet taught by Sjoberg et al. as modified by Min a thermoplastic elastomer polyolefin sheet as shown by Uebayashi et al. as the thermoplastic elastomer polyolefin sheets do not require plasticizer for softening, are lighter, and can be recycled.

Regarding claim 1, Sjoberg et al. is modified by Moebus as fully described above and not repeated here.

Regarding claims 2, 4, 10-12, 37-42, 46, 47, and 50-55 Sjoberg et al. is relied upon as fully described above.

Regarding claims 17, 30-32, and 43-45, Sjoberg et al. teach the upper decorative and abrasion resistant laminate, dampening foil, and carrying core layer are joined by means of melt-glue, heat, and pressure wherein Sjoberg et al. as modified by Min and Uebayashi et al. is considered to join the balance layer to the core layer by the same

Regarding claims 14-16, 48, and 49, as noted above Sjoberg et al. teach the dampening foil is a thermoplastic elastomer having an elasticity compression coefficient of 0.8 - 2.0 Mpa, a

thickness of 0.1 - 0.5 mm, and a density of 180 - 330 kg/m³. Absent any unexpected results, it would have been obvious to one of ordinary skill in the art at the time the invention was made to experimentally determine the thickness, density, and elasticity compression coefficient of the balance layer as taught by Sjoberg et al. as modified by Min and Uebayashi et al. for example by starting with the thermoplastic elastomer of the dampening foil as a function of providing a balance layer that prevents the decorative laminate from warping and provides cushioning as doing so would have required nothing more than ordinary skill and routine experimentation.

10. Claims 24-26, 29, and 33-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al., Min, Uebayashi et al., and Moebus as applied to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 above, and further in view of Leukel et al.

Sjoberg et al., Min, Uebayashi et al., and Moebus as applied above teach all of the limitations in claims 24-26, 29, and 33-36 except for a teaching of including a conductive material such as carbon black or carbon fiber in the glue and elastomer layers. Leukel et al. disclose a floor covering including rubber and glue layers wherein the layers include a conductive material such as carbon black or carbon fiber (conductivity greater than 500 kΩcm) to impart static dissipating properties to the floor covering (Column 3, lines 5-9 and 36-49 and Column 4, lines 59-60). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include in all of the glue and elastomer layers of Sjoberg et al. as modified by Min, Uebayashi et al., and Moebus a conductive material such as carbon black or carbon fiber to impart static dissipating properties to the entire decorative laminate floor covering as shown by Leukel et al.

11. Claims 24 and 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al., Min, Uebayashi et al., and Moebus as applied to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 above, and further in view of Nowell et al.

Sjoberg et al., Min, Uebayashi et al., and Moebus as applied above teach all of the limitations in claims 24 and 27-29 except for a teaching of including a conductive material such as a vacuum metallized aluminum layer in the balance layer. Nowell et al. disclose a floor covering including a thermoplastic layer wherein the thermoplastic layer includes a conductive material such as a vacuum metallized aluminum layer (conductivity greater than 500 kΩcm) to impart static dissipating properties to the floor covering (Column 2, lines 3-18 and Column 4, lines 18-27). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include in the each of the thermoplastic layers of Sjoberg et al. as modified by Min, Uebayashi et al., and Moebus a conductive material such as a vacuum metallized aluminum layer to impart static dissipating properties to the entire decorative laminate floor covering as shown by Nowell et al.

Double Patenting

12. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re*

Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

13. Claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 5-7, and 9-25 of copending Application No. 11/129,497 in view of any one of Mason, Berry et al., or Karam, and Moebus (or Min, Uebayashi et al., and Moebus). Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1, 2, 5-7, and 9-25 of copending Application No. 11/129,497 disclose the invention substantially as claimed except for teaching of including a balance layer comprising a thermoplastic elastomer on the lower side of the core layer and cutting the decorative laminate into panels and providing the panels with edges intended for joining which would have been obvious in view of any one of Mason, Berry et al., or Karam, and Moebus (or Min, Uebayashi et al., and Moebus) as discussed above.

This is a provisional obviousness-type double patenting rejection.

14. Claims 24-26, 29, and 33-36 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 5-7, and 9-25 of copending Application No. 11/129,497, any one of Mason, Berry et al., or Karam, and Moebus (or Min, Uebayashi et al., and Moebus) as applied to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55,

59, 60, and 63 above, and further in view of Leukel et al. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1, 2, 5-7, and 9-25 of copending Application No. 11/129,497, any one of Mason, Berry et al., or Karam, and Moebus (or Min, Uebayashi et al., and Moebus) disclose the invention substantially as claimed except for a teaching of including a conductive material in the glue and elastomer layer which would have been obvious in view of Leukel et al. as discussed above.

This is a provisional obviousness-type double patenting rejection.

15. Claims 24 and 27-29 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 5-7, and 9-25 of copending Application No. 11/129,497, any one of Mason, Berry et al., or Karam, and Moebus (or Min, Uebayashi et al., and Moebus) as applied to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 above, and further in view of Nowell et al. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1, 2, 5-7, and 9-25 of copending Application No. 11/129,497, any one of Mason, Berry et al., or Karam, and Moebus (or Min, Uebayashi et al., and Moebus) disclose the invention substantially as claimed except for a teaching of including a conductive material in the thermoplastic layer which would have been obvious in view of Nowell et al. as discussed above.

This is a provisional obviousness-type double patenting rejection.

Response to Arguments

16. Applicant's arguments with respect to claims 1, 2, 4, 10-12, 14-17, 30-32, 37-55, 59, 60, and 63 have been considered but are moot in view of the new ground(s) of rejection.

Applicants amendment has overcome the previous claim objections.

Applicants argue, "Initially, Applicants point out that U.S. Patent 6,761,961 is not a reference under any applicable section of 35 U.S.C. 102 and thus cannot be used in a rejection of 35 U.S.C. 103(a)." and "This Patent is not a reference under 35 U.S.C. 102(e) because the International Application was not published in English as is clear from the citation of WO 01/21366 which was published in German." and "Furthermore, there is no evidence to support the Examiner's conjecture that U.S. Patent No. 6,761,961 is the English language equivalent of the cited Moebus WO 01/21366 and even if it is, it is still not citable in a rejection under 35 U.S.C. 103(a) since it is not "prior art" under 35 U.S.C. 102. Accordingly, the Applicants respectfully request withdrawal of the citation of U.S. Patent No. 6,761,961 as not being "prior art" and hence not citable in this rejection."

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)). U.S. Patent 6,761,961 is a U.S. Patent of an International Application, WO 01/21366, after national stage entry. WO 01/21366 was filed before November 29, 2000. Therefore, U.S. Patent 6,761,961 has a 35 U.S.C. 102(e) date of 5/16/01 and is prior art

(Additionally the examiner notes the flowcharts under MPEP 706.02(f)(1) for determination of the prior art date under 35 U.S.C. 102(e)). Furthermore, WO 01/21366 has a publication date of 3/29/01, and is available as prior art under 35 U.S.C. 102(b) as it published more than one year prior to the date of applicants application for patent in the United States wherein there is clear evidence that Column 1, lines 15-44 of U.S. Patent 6,761,961 are a translation of Page 3, line 13 to Page 4, line 18 of WO 01/21366 as both contain the same number of sentences, numerical values, instances of quotations, etc.

Applicants further argue, "Rather, Applicants have an asymmetrical upper and lower layer on opposite sides of a core." and "This is now emphasized in amended Claim 1 which specifically states that the upper side of the core is provided with the abrasion resistance thermosetting laminate and that the lower side of the core consists of a balance layer... said balance layer comprising a layer of polymer, said polymer consisting of a thermoplastic polymer..." and "Thus, it can be seen that unlike the alleged teachings of all the cited prior art which tends to mimic or duplicate the upper and lower surfaces, Applicants here purposefully use a thermosetting resin on the upper side and a thermoplastic polymer on the lower side of the core. Thus, the claimed invention cannot not possibly be obvious in view of the Examiner's reasoning that one skilled in the art would want to mimic or duplicate the materials on both the upper and lower side of a core material. For all the foregoing reasons Applicants respectfully submit that independent Claim 1 cannot possibly be obvious over any combination of the cited references."

The claims are not commensurate in scope with applicants arguments as the claims do not preclude the balance layer including a thermosetting layer in addition to a thermoplastic layer.

Applicants claim 1 requires "said balance layer comprising a layer of a polymer, said polymer consisting of a thermoplastic polymer". The claim requires the balance layer include among any other layers, i.e. comprising is open-ended (See MPEP 2111.03), a layer of polymer which layer consists of a thermoplastic polymer. The balance layer taught by Sjoberg et al. as modified by any one of Mason, Berry et al., or Karam includes among other layers, e.g. an additional decorative and abrasion resistant thermosetting laminate layer, the dampening foil layer of thermoplastic elastomer which is a layer of polymer consisting of a thermoplastic elastomer.

Conclusion

17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **John L. Goff** whose telephone number is **(571) 272-1216**. The examiner can normally be reached on M-F (7:15 AM - 3:45 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



John L. Goff
Primary Examiner
Art Unit 1791